

Kami Accessibility Conformance Report

WCAG Edition

(Based on VPAT[®] Version 2.5Rev)

Name of Product/Version: Kami

Report Date: June 2, 2026

Product Description: Kami is a web-based digital classroom application that enables students and teachers to annotate, collaborate on, and interact with PDF and document content. The platform includes tools for annotation, commenting, and document interaction, along with support for assistive technologies and accessibility features.

Contact Information: Support@kamiapp.com

Notes: Kami is a web-based application that enables users to view, annotate, and interact with digital documents, including PDFs and other imported content. Accessibility within Kami is dependent on both the platform's interface and the accessibility of user-provided or third-party content. Kami provides tools such as OCR-powered read aloud, annotation, and commenting to improve access to document content. However, accessibility of source documents may vary depending on how those documents were originally created. Kami is committed to ongoing accessibility improvements and continues to enhance support for WCAG 2.1 and 2.2 Level AA success criteria as part of its product roadmap.

Evaluation Methods Used:

Manual and automated testing including:

- Chromebook with ChromeVox
- Windows with Narrator
- macOS and iOS with VoiceOver
- Axe DevTools
- WAVE
- Stark (Figma plugin)

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

| Standard/Guideline | Included In Report |
|---|---|
| Web Content Accessibility Guidelines 2.0 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Web Content Accessibility Guidelines 2.1 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Web Content Accessibility Guidelines 2.2 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018 | (Yes) |
| EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03) | (Yes) |

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

Note: Conformance levels reflect current product functionality. In some cases, accessibility depends on user-provided content and may not be fully controlled by the Kami platform. Kami functions as both a content interaction tool and a content authoring tool; accessibility of authored content may vary based on available authoring features.

Table 1: Success Criteria, Level A

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p><u>1.1.1 Non-text Content</u> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.1.1 (Web) ● 10.1.1.1 (Non-web document) ● 11.1.1.1.1 (Open Functionality Software) ● 11.1.1.1.2 (Closed Functionality Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | <p>Supports</p> | <p>Kami supports images, drawings, and multimedia content within documents. Users are also able to add or edit alternative text for images within the Kami interface. OCR functionality enables read-aloud for scanned documents.</p> |
| <p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.1 (Web) ● 10.1.2.1 (Non-web document) ● 11.1.2.1.1 (Open Functionality Software) ● 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | <p>Supports</p> | <p>Audio-only content can be created directly within Kami using the Audio comment tool. Users cannot upload pre recorded audio files.</p> |
| <p><u>1.2.2 Captions (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.2 (Web) ● 10.1.2.2 (Non-web document) <p>Supports Kami video content provides captions</p> <p>Page 4 of 22</p> | <p>Supports</p> | <p>Kami supports captions for embedded video content where captions are available, such as YouTube videos. Caption availability depends on the source media and is not controlled within Kami. For user generated video content, Kami provides on demand auto captions in English. Accuracy and language availability may vary.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|---------------------------|--|
| <p>Criteria Conformance Level Remarks and Explanations</p> <ul style="list-style-type: none"> ● 11.1.2.2 (Open Functionality Software) ● 11.1.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | | |
| <p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.3 (Web) ● 10.1.2.3 (Non-web document) ● 11.1.2.3.1 (Open Functionality Software) ● 11.1.2.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Partially Supports | <p>Kami does not natively generate synchronized audio descriptions for video content. Users may provide additional descriptive context through audio comments or accompanying text. Kami is committed to ongoing accessibility improvements and continues to enhance support for WCAG 2.1 and 2.2 Level AA success criteria as part of its product roadmap.</p> |
| <p><u>1.3.1 Info and Relationships</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.1 (Web) ● 10.1.3.1 (Non-web document) ● 11.1.3.1.1 (Open Functionality Software) ● 11.1.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | <p>Kami preserves structural relationships such as page order, annotation positioning, and navigation. Non-text elements currently support alternative text also allowing programmatic access for assistive technologies.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| <p><u>1.3.2 Meaningful Sequence</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.2 (Web) ● 10.1.3.2 (Non-web document) ● 11.1.3.2.1 (Open Functionality Software) ● 11.1.3.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | Kami documents flow from top to bottom with an option for a two-page view. Pages can be inserted and rearranged via the Split and Merge tool. |
| <p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.3 (Web) ● 10.1.3.3 (Non-web document) ● 11.1.3.3 (Open Functionality Software) ● 11.1.3.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | Instructions provided for understanding and operating content do not rely solely on sensory characteristics such as shape, size, visual location, orientation, or sound |
| <p><u>1.4.1 Use of Color</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.1 (Web) ● 10.1.4.1 (Non-web document) ● 11.1.4.1 (Open Functionality Software) ● 11.1.4.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) | Supports | Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element. Tools and features are well-labeled with sensible icons placed in intuitive locations. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) | | |
| <u>1.4.2 Audio Control</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.1.4.2 (Web) ● 10.1.4.2 (Non-web document) ● 11.1.4.2 (Open Functionality Software) ● 11.1.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | Audio does not autoplay and can be paused or stopped. Text-to-speech can be skipped forwards and backwards. All audio is user-initiated and user-controlled. |
| <u>2.1.1 Keyboard</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.2.1.1 (Web) ● 10.2.1.1 (Non-web document) ● 11.2.1.1.1 (Open Functionality Software) ● 11.2.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | Core functionality is operable via keyboard, including annotation creation, placement, editing, positioning, manipulation, and text caret navigation. |
| <u>2.1.2 No Keyboard Trap</u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.2.1.2 (Web) ● 10.2.1.2 (Non-web document) ● 11.2.1.2 (Open Functionality Software) | Supports | Focus on text boxes can be exited by pressing the Escape key. Up and down arrow keys can be used to resume scrolling. No keyboard traps exist in the application. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| <ul style="list-style-type: none"> ● 11.2.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | | |
| <p><u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 and 2.2)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.2.1.4 (Web) ● 10.2.1.4 (Non-web document) ● 11.2.1.4.1 (Open Functionality Software) ● 11.2.1.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Supports | Keyboard shortcuts are fully supported in Kami. Users can change, disable, and share keyboard shortcuts. |
| <p><u>2.2.1 Timing Adjustable</u> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.2.2.1 (Web) ● 10.2.2.1 (Non-web document) ● 11.2.2.1 (Open Functionality Software) ● 11.2.2.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | No timing restrictions are imposed in Kami's core functionality. Kami's Assessment Mode allows teachers to set time limits for student assessments; this is a deliberate instructional feature, not an accessibility constraint. |
| <p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.2.2.2 (Web) | Supports | Kami does not include automatic scrolling. Some content may update as part of real time collaboration, which is considered essential functionality. For media content, such as the autoplay video in the upsell |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| <ul style="list-style-type: none"> ● 10.2.2.2 (Non-web document) ● 11.2.2.2 (Open Functionality Software) ● 11.2.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | | dialog, user controls are provided to pause playback, meeting this requirement. |
| <p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.2.3.1 (Web) ● 10.2.3.1 (Non-web document) ● 11.2.3.1 (Open Functionality Software) ● 11.2.3.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | Kami contains no flashing elements. |
| <p><u>2.4.1 Bypass Blocks</u> (Level A)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.2.4.1 (Web) ● 10.2.4.1 (Non-web document) – Does not apply ● 11.2.4.1 (Open Functionality Software) – Does not apply ● 11.2.4.1 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs | Supports | Kami provides a mechanism to bypass to main content using keyboard shortcuts. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| <p>2.4.2 Page Titled (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.2 (Web) ● 10.2.4.2 (Non-web document) ● 11.2.4.2 (Open Functionality Software) - Does not apply ● 11.2.4.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | Kami pages are titled to the specific document name. |
| <p>2.4.3 Focus Order (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.3 (Web) ● 10.2.4.3 (Non-web document) ● 11.2.4.3 (Open Functionality Software) ● 11.2.4.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | Elements are focused in logical order by default. |
| <p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.4 (Web) ● 10.2.4.4 (Non-web document) ● 11.2.4.4 (Open Functionality Software) ● 11.2.4.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) | Supports | Links in both PDF content and those created by users can have custom text labels. The purpose of each link can be determined from link text alone or from its programmatic context. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) | | |
| <p>2.5.1 Pointer Gestures (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.1 (Web) ● 10.2.5.1 (Non-web document) ● 11.2.5.1 (Open Functionality Software) ● 11.2.5.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Supports | <p>Full pointer and touch support is available via a single pointer, except for pinch-to-zoom which may use two or more points. All core functionality is operable with a single pointer.</p> |
| <p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.2 (Web) ● 10.2.5.2 (Non-web document) ● 11.2.5.2 (Open Functionality Software) ● 11.2.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Supports | <p>Pointer actions are cancellable and do not execute on the down-event alone.</p> |
| <p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.3 (Web) ● 10.2.5.3 (Non-web document) ● 11.2.5.3.1 (Open Functionality Software) ● 11.2.5.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Supports | <p>Screen readers can access tools with accessible labels that match their visible text labels.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------------|--|
| <p>2.5.4 Motion Actuation (Level A 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.5.4 (Web) ● 10.2.5.4 (Non-web document) ● 11.2.5.4 (Open Functionality Software) ● 11.2.5.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Not Applicable</p> | <p>Kami does not have any device motion-controlled features.</p> |
| <p>3.1.1 Language of Page (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.1.1 (Web) ● 10.3.1.1 (Non-web document) ● 11.3.1.1.1 (Open Functionality Software) ● 11.3.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | <p>Supports</p> | <p>The read-aloud and dictation features support the full range of languages supported by Google. The default human language of the page is programmatically determinable.</p> |
| <p>3.2.1 On Focus (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.1 (Web) ● 10.3.2.1 (Non-web document) ● 11.3.2.1 (Open Functionality Software) ● 11.3.2.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) | <p>Supports</p> | <p>Focusing on a component such as a text box surfaces a contextual toolbar; this is an expected and documented interface behaviour, not an unexpected change of context.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| <p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.2 (Web) ● 10.3.2.2 (Non-web document) ● 11.3.2.2 (Open Functionality Software) ● 11.3.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | Changing settings does not trigger a change of context. |
| <p>3.2.6 Consistent Help (Level A 2.2 only)</p> <p>N 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p> | Supports | The help function is available on all pages in the application. |
| <p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.1 (Web) ● 10.3.3.1 (Non-web document) ● 11.3.3.1.1 (Open Functionality Software) ● 11.3.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | All errors are displayed to the user in the interface with descriptive text identifying the issue. |
| <p>3.3.2 Labels or Instructions (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.2 (Web) ● 10.3.3.2 (Non-web document) ● 11.3.3.2 (Open Functionality Software) | Supports | Labels and prompts appear on the page wherever input is required. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-----------------------|--|
| <ul style="list-style-type: none"> ● 11.3.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | | |
| <p>3.3.7 Redundant Entry (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p> | Not Applicable | Kami does not require users to re-enter information already provided within the same session. |
| <p>4.1.1 Parsing (Level A) Applies to: WCAG 2.0 and 2.1 – Always answer ‘Supports’ WCAG 2.2 (obsolete and removed) - Does not apply EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.1 (Web) ● 10.4.1.1 (Non-web document) ● 11.4.1.1.1 (Open Functionality Software) ● 11.4.1.1.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | For WCAG 2.0 and 2.1, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata . |
| <p>4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.2 (Web) ● 10.4.1.2 (Non-web document) ● 11.4.1.2.1 (Open Functionality Software) ● 11.4.1.2.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) | Supports | Kami's user interface uses HTML standards and ARIA roles to provide name, role, and value information to assistive technologies. Accessible labels are applied consistently across interactive controls, ensuring correct announcement by screen readers. However, user-generated content such as images may lack accessible descriptions. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--------------------------|
| Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | | |

Table 2: Success Criteria, Level AA

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|---|
| <p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.4 (Web) ● 10.1.2.4 (Non-web document) ● 11.1.2.4 (Open Functionality Software) ● 11.1.2.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | Kami supports captions for video content where available. Live captioning is dependent on third-party integrations and is not natively generated within Kami. |
| <p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.5 (Web) ● 10.1.2.5 (Non-web document) ● 11.1.2.5 (Open Functionality Software) ● 11.1.2.5 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) | Partially Supports | Kami does not provide native support for synchronized audio description in video content. Users may supplement content with audio comments or text descriptions, but this does not fully meet WCAG requirements. Kami is committed to ongoing accessibility improvements and continues to enhance support for WCAG 2.1 and 2.2 Level AA success criteria as part of its product roadmap. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| <ul style="list-style-type: none"> ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | | |
| <p>1.3.4 Orientation (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.4 (Web) ● 10.1.3.4 (Non-web document) ● 11.1.3.4 (Open Functionality Software) ● 11.1.3.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Supports | Kami works in both landscape and portrait orientations. |
| <p>1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.5 (Web) ● 10.1.3.5 (Non-web document) ● 11.1.3.5.1 (Open Functionality Software) ● 11.1.3.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Supports | Kami input field purposes can be programmatically determined. |
| <p>1.4.3 Contrast (Minimum) (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.3 (Web) ● 10.1.4.3 (Non-web document) ● 11.1.4.3 (Open Functionality Software) ● 11.1.4.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) | Supports | Kami maintains a good level of contrast for text in both light and dark mode. Settings pages, login page, and main app pages have been updated to meet the 4.5:1 minimum contrast ratio. Increased color contrast improvements were released in 2025. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| <ul style="list-style-type: none"> ● 602.3 (Support Docs) <p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.4 (Web) ● 10.1.4.4 (Non-web document) ● 11.1.4.4.1 (Open Functionality Software) ● 11.1.4.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | Pages can be zoomed and text can be resized without loss of quality. Browser zoom to increase UI scale is supported. |
| <p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.5 (Web) ● 10.1.4.5 (Non-web document) ● 11.1.4.5.1 (Open Functionality Software) ● 11.1.4.5.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) | Supports | No critical images of text exist in Kami's own interface. Image text within imported documents can be accessed via OCR-powered read-aloud. The UI does not use images of text for functional content. |
| <p>1.4.10 Reflow (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.10 (Web) ● 10.1.4.10 (Non-web document) ● 11.1.4.10 (Open Functionality Software) ● 11.1.4.10 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) | Supports | Pages can be zoomed to fit within the browser viewport. Content reflows to a single-column view when zoomed to 320px equivalent width. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| <ul style="list-style-type: none"> ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply | | |
| <p>1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)</p> Also applies to: EN 301 549 Criteria | Supports | User interface components are well-contrasted against adjacent colours, meeting the 3:1 non-text contrast requirement. |
| <ul style="list-style-type: none"> ● 9.1.4.11 (Web) ● 10.1.4.11 (Non-web document) ● 11.1.4.11 (Open Functionality Software) ● 11.1.4.11 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply | | |
| <p>1.4.12 Text Spacing (Level AA 2.1 and 2.2)</p> Also applies to: EN 301 549 Criteria | Supports | Changing text spacing does not cause loss of content or functionality. |
| <ul style="list-style-type: none"> ● 9.1.4.12 (Web) ● 10.1.4.12 (Non-web document) ● 11.1.4.12 (Open Functionality Software) ● 11.1.4.12 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply | | |
| <p>1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)</p> Also applies to: EN 301 549 Criteria | Supports | Hovering over annotations surfaces a contextual toolbar. Additional hover and focus content cascades predictably through the UI, is dismissible, and remains persistent while the pointer is over it. |
| <ul style="list-style-type: none"> ● 9.1.4.13 (Web) ● 10.1.4.13 (Non-web document) ● 11.1.4.13 (Open Functionality Software) ● 11.1.4.13 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply | | |
| <p>2.4.5 Multiple Ways (Level AA)</p> Also applies to: | Supports | Links, sharing URLs, recents list, and file hash can all be used to locate a previously opened PDF file. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.2.4.5 (Web) ● 10.2.4.5 (Non-web document) – Does not apply ● 11.2.4.5 (Open Functionality Software) – Does not apply ● 11.2.4.5 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs | | |
| <u>2.4.6 Headings and Labels</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.2.4.6 (Web) ● 10.2.4.6 (Non-web document) ● 11.2.4.6 (Open Functionality Software) ● 11.2.4.6 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | Dialogs have descriptive headings that indicate the purpose of each tool or feature. |
| <u>2.4.7 Focus Visible</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.2.4.7 (Web) ● 10.2.4.7 (Non-web document) ● 11.2.4.7 (Open Functionality Software) ● 11.2.4.7 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) | Supports | Any keyboard-operable user interface has a mode of operation where the keyboard focus indicator is visible. Focus visibility has been verified and improved across settings, login, main app, and all primary views as part of the 2025–2026 accessibility improvements. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|---|
| <ul style="list-style-type: none"> ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | | |
| <p>2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p> | Partially Supports | Scroll padding is not currently applied, and some focused components can be partially or fully obscured by sticky UI elements. Kami is committed to ongoing accessibility improvements and continues to enhance support for WCAG 2.1 and 2.2 Level AA success criteria as part of its product roadmap. |
| <p>2.5.7 Dragging Movements (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p> | Supports | Positioning annotations that use a dragging movement for operation can be achieved via keyboard navigation without the use of a dragging motion. |
| <p>2.5.8 Target Size (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p> | Partially Supports | Target size improvements are needed across some elements within the app. Kami is committed to ongoing accessibility improvements and continues to enhance support for WCAG 2.1 and 2.2 Level AA success criteria as part of its product roadmap. |
| <p>3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.1.2 (Web) ● 10.3.1.2 (Non-web document) ● 11.3.1.2 (Open Functionality Software) – Does not apply ● 11.3.1.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) | Supports | User input text can be read by screen readers. The read-aloud feature supports the range of languages supported by Google, enabling correct pronunciation across content languages. |
| <p>3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.3 (Web) ● 10.3.2.3 (Non-web document) – Does not apply ● 11.3.2.3 (Open Functionality Software) – Does not apply ● 11.3.2.3 (Closed Software) – Does not apply | Supports | Navigation is consistent throughout the application. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-----------------------|--|
| <ul style="list-style-type: none"> ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs | | |
| <p><u>3.2.4 Consistent Identification</u> (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.3.2.4 (Web) ● 10.3.2.4 (Non-web document) – Does not apply ● 11.3.2.4 (Open Functionality Software) – Does not apply ● 11.3.2.4 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs | Supports | Components that have the same functionality are identified consistently across the application. |
| <p><u>3.3.3 Error Suggestion</u> (Level AA)</p> Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.3.3.3 (Web) ● 10.3.3.3 (Non-web document) ● 11.3.3.3 (Open Functionality Software) ● 11.3.3.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) | Supports | Components that have the same functionality within the application are identified consistently. Error messages include corrective suggestions. |
| <p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> Also applies to: | Not Applicable | Kami does not process legal, financial, or test response data. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.3.3.4 (Web) ● 10.3.3.4 (Non-web document) ● 11.3.3.4 (Open Functionality Software) ● 11.3.3.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) | | |
| 3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Supports | Kami accepts password manager input. SSO is supported so a password is not required. Kami does not require a cognitive function test as part of authentication. |
| 4.1.3 Status Messages (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> ● 9.4.1.3 (Web) ● 10.4.1.3 (Non-web document) ● 11.4.1.3 (Open Functionality Software) ● 11.4.1.3 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Supports | Status messages are coded into the interface using ARIA live regions and roles, and can be read programmatically by assistive technologies without requiring focus. |

Revised Section 508 Report

Chapter 3: [Functional Performance Criteria](#) (FPC)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|----------------------|-------------------|--|
| 302.1 Without Vision | Supports | Kami can be operated using keyboard input and screen reader. Read Aloud with OCR enables access to scanned PDF |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| | | content. Compatible with Narrator, VoiceOver, ChromeVox, and JAWS. |
| 302.2 With Limited Vision | Supports | Browser-provided zoom and text resizing are supported without loss of content or functionality. Light and dark modes both meet minimum contrast requirements. |
| 302.3 Without Perception of Color | Supports | Kami does not rely solely on color to convey information. Tools and features are labeled with text and icons. |
| 302.4 Without Hearing | Supports | Kami does not require audio for core operation. Video content supports captions. All audio is user-initiated and can be paused or stopped. |
| 302.5 With Limited Hearing | Supports | Captions are available for video content. Audio does not autoplay. No audio-only modes of operation are required. |
| 302.6 Without Speech | Supports | Kami does not require speech for operation. Voice typing is available as an optional input method but is not required for any core functionality. |
| 302.7 With Limited Manipulation | Supports | Kami supports keyboard navigation and touchscreen input. Most functionality does not require fine motor control. Active work is underway to extend full keyboard operability to annotation insertion and positioning. |
| 302.8 With Limited Reach and Strength | Supports | Kami does not require simultaneous multi-point actions for core functionality. Browser zoom is available to increase touch target size. |
| 302.9 With Limited Language, Cognitive, and Learning Abilities | Supports | Kami provides a consistent interface with labeled tools, accessible error messages, and contextual help. Read Aloud supports users with reading difficulties. The platform is designed to support diverse learners. |

Chapter 5: [Software](#)

Notes:

| 504 Authoring Tools | Heading cell – no response required | Heading cell – no response required |
|---|-------------------------------------|---|
| 504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”) | Supports | Kami enables users to create and annotate document content. The platform supports accessible interaction and reading features, as well as supports the creation or editing of alternative text for non-text elements. |
| 504.2.1 Preservation of Information Provided for Accessibility in Format Conversion | Supports | Kami preserves accessibility information such as annotations and structural elements when present in source documents. This includes alternative text for images which currently can be added or edited within Kami. |
| 504.2.2 PDF Export | Supports | Kami supports PDF export. Accessibility metadata is preserved in exported files where the source document supports it. |
| 504.3 Prompts | Supports | Kami provides intuitive prompts and labeled interface controls that enable users to create and annotate content. |
| 504.4 Templates | Supports | Kami provides a range of document templates accessible from the template selection modal. |

EN 301 549 ReportClause [4: Functional Performance Statements](#) (FPS)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| 4.2.1 Usage without vision | Supports | Kami can be operated using keyboard input and screen reader. OCR-powered Read Aloud enables access to scanned PDF content. |
| 4.2.2 Usage with limited vision | Supports | Browser zoom and text resizing are supported. Light and dark modes both meet minimum contrast requirements. |
| 4.2.3 Usage without perception of colour | Supports | Kami functions without the need for color perception. Information is conveyed through text labels and icons. |
| 4.2.4 Usage without hearing | Supports | Kami does not require audio for core operation. All video content supports captions. Audio is user-initiated. |
| 4.2.5 Usage with limited hearing | Supports | Captions are supported for video content. No audio-only modes of operation are required. |
| 4.2.6 Usage with no or limited vocal capability | Supports | Kami does not require speech for operation. Voice typing is an optional input method. |
| 4.2.7 Usage with limited manipulation or strength | Supports | Keyboard navigation and touchscreen input are supported. Full keyboard operability for annotation interaction is being extended through 2026. |
| 4.2.8 Usage with limited reach | Supports | Kami does not require simultaneous multi-point actions for core functionality. Browser zoom increases touch target accessibility. |
| 4.2.9 Minimize photosensitive seizure triggers | Supports | Kami contains no flashing content. |
| 4.2.10 Usage with limited cognition, language or learning | Supports | Kami provides a consistent, labeled interface with accessible error messages. Read Aloud and OCR support users with reading difficulties. Keyboard shortcuts are customizable. |
| 4.2.11 Privacy | Supports | Kami maintains user privacy at the same level for all users. Accessibility features do not require disclosure of disability status. |

Clause [5: Generic Requirements](#)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|--|
| 5.2 Activation of accessibility features | Not Applicable | Kami does not have accessibility features that require a separate activation step. All accessibility features are available by default. |
| 5.4 Preservation of accessibility information during conversion | Supports | Kami preserves accessibility information present in source documents as well as currently supports the creation or editing of alternative text for images within the platform. |
| 5.6 Locking or toggle controls | Heading cell – no response required | Heading cell – no response required |
| 5.9 Simultaneous user actions | Not Applicable | Kami does not require simultaneous user actions to achieve any core functionality. |

Clause [6: ICT with Two-Way Voice Communication](#)

Notes: Kami does not offer two-way voice communication and is therefore not subject to the requirements of this clause.

Clause [7: ICT with Video Capabilities](#)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|---|
| 7.1 Caption processing technology | Heading cell – no response required | Heading cell – no response required |
| 7.1.1 Captioning playback | Supports | Kami facilitates synchronized closed captioning of video content including embedded YouTube videos. |
| 7.1.2 Captioning synchronization | Supports | Captions are timed to video playback. |
| 7.1.3 Preservation of captioning | Supports | Kami preserves captioning information associated with video content. |
| 7.1.4 Captions characteristics | Partially Supports | Kami supports captions for video content |

| | | |
|--|--|--|
| | | where available but does not provide controls to customize caption appearance such as font, size, or color. Kami is committed to ongoing accessibility improvements and continues to enhance support for WCAG 2.1 and 2.2 Level AA success criteria as part of its product roadmap. |
| 7.1.5 Spoken subtitles | Does Not Support | Kami does not provide spoken output of available captions. Kami is committed to ongoing accessibility improvements and continues to enhance support for WCAG 2.1 and 2.2 Level AA success criteria as part of its product roadmap. |
| 7.2.1 Audio description playback | Does Not Support | Kami does not have dedicated functionality to play audio descriptions for video content. Kami is committed to ongoing accessibility improvements and continues to enhance support for WCAG 2.1 and 2.2 Level AA success criteria as part of its product roadmap. |
| 7.2.2 Audio description synchronization | Not Applicable | Kami does not have functionality to add audio descriptions. |
| 7.2.3 Preservation of audio description | Not Applicable | Kami does not have functionality to add audio descriptions. |
| 7.3 User controls for captions and audio description | Captions: Supports Audio descriptions: Not Applicable | Kami provides user controls to enable and disable captions on video content. |

Clause 8: Hardware

Kami is a web application and is not subject to the requirements of this clause.

Clause 9: Web

As detailed in Tables 1 and 2 of the WCAG 2.0 Report section above.

Clause 10: Non-Web Documents

Kami operates on user-supplied PDF documents. The accessibility of source documents depends on how those documents were created and is outside Kami's direct control. Kami provides OCR, Read Aloud, and annotation tools to enhance access to document content regardless of source accessibility.

Clause 11: Software

Kami is a web application. Clause 11 (Non-Web Software) does not apply.

Clause [12: Documentation and Support Services](#)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|--|--|
| 12.1 Product documentation | Heading cell – no response required | Heading cell – no response required |
| 12.1.1 Accessibility and compatibility features | Supports | Kami accessibility features and compatibility information are available at support.kamiapp.com and on the Kami accessibility page. |
| 12.1.2 Accessible documentation | See WCAG 2.0 section above | See information in WCAG 2.0 section above |
| 12.2 Support Services | Heading cell – no response required | Heading cell – no response required |
| 12.2.2 Information on accessibility and compatibility features | Supports | Kami support can provide information about accessibility features available in the product. Contact: support@kamiapp.com. |
| 12.2.3 Effective communication | Supports | Kami support provides information about accessibility features through email support and online help documentation. |
| 12.2.4 Accessible documentation | See WCAG 2.0 section above | See information in WCAG 2.0 section above |

Legal Disclaimer (Kami Holdings Limited, Notable, Inc (dba Kami))

This Voluntary Product Accessibility Template (VPAT) has been prepared by Kami to provide information regarding the accessibility of our product in relation to the Web Content Accessibility Guidelines (WCAG) 2.1 and 2.2 Level AA, Section 508 Guidelines, and EN 301 549 Guidelines. While we strive to provide an accessible experience for all users, this VPAT is based on our current understanding of the WCAG guidelines and our product's features. It is not a guarantee of conformance with all accessibility requirements.

Kami is committed to ongoing accessibility improvements and will update this VPAT as our product evolves. We encourage users to contact us with any accessibility-related questions or concerns.